



STOREFRONT FRAMING

ALUMINUM FLUSH GLAZED STOREFRONT

450 series 13/4" x 4 1/2" Non Thermal | 1450 series 2" x 4 1/2" Non Thermal
 2450 series 2" x 4 1/2" Center Glazed Thermal | 2450 FS series 2" x 4 1/2" Front Glazed Thermal
 2650 series 2" x 6 1/2" Offset Glazed Thermal | 5450i series 2 1/4" x 4 1/2" Center Glazed Isobar

Manko's flush glazed storefront systems can accommodate a wide variety of design applications including entrance door framing, entrance sidelites, horizontal punched opening, and mullions for ribbon windows. Need ventilation? No problem. Insert an 800 or 1100 series projected vent. Flush glazed storefronts are part of a lineal program designed for installers to fabricate their own openings to reduce lead times and meet construction schedules. These systems are dry glazed and internally weeped. If you are designing a low cost framing system that requires a fast installation schedule, then storefront framing will answer the call.

FEATURES

- Structurally tested per ANSI/AAMA 101
- 1 3/4" to 2 1/4" sightlines
- 4 1/2" and 6 1/2" frame depths
- Screw spline construction
- EPDM gaskets provide dry glazing
- 6063-T5 or 6063-T6 aluminum alloy
- .078" wall thickness
- Integral framing accommodates storefront doors installed in system
- Optional 90 corner mullions
- Window vent options provide ventilation
- 1/4" to 1 1/8" glazing in fills
- Sill starter and head receptor options
- Vertical expansion joint mullions
- "Azo-braided" thermal barrier
- Full range of anodized finishes
- Full range of architectural painted finishes
- Spandrel and composite glazing panels
- Dual glazing integral blinds
- Inside or outside glazing
- Multi-plane glazing
- Pivoting mullions

800 Hayes Drive
 Manhattan, KS 66502
 Phone: (800) 642.1488
 Fax: (800) 576.2656



11000 East 51st Ave., Suite B
 Denver, CO 80239
 Phone: (888) 642.1488
 Fax: (303) 375.0669

Please visit:
www.mankowindows.com
 for more information

